

測試報告 Test Report

號碼(No.): CE/2008/B4080

日期(Date): 2008/11/25

頁數(Page): 1 of 3

美台磁材有限公司

A&T MAGNETICS CO., LTD.

221-08 台北縣汐止市康寧街169巷23號8樓之1

8F-1, NO. 23, LANE 169, KANG NING ST., SIJHIH CITY, TAIPEI COUNTRY,

TAIWAN, R. O. C.



以下測試樣品係由客戶送樣，且由客戶聲稱並經客戶確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) : SOFT FERRITE CORE
 樣品型號(Style/Item No.) : AT1K / PERM850
 買主/訂單號碼(Buyer/Order No.) : SGS-017
 收件日期(Sample Receiving Date) : 2008/11/18
 測試期間(Testing Period) : 2008/11/18 TO 2008/11/25

=====
測試需求(Test Requested) : 參照 RoHS 2002/95/EC 及其修定指令要求. (In accordance with the RoHS Directive 2002/95/EC, and its amendment directives).

測試方法(Test Method) : 參考IEC 62321/2nd CDV (111/95/CDV)方法檢測. (With reference to IEC 62321/2nd CDV (111/95/CDV). Procedures for the Determination of Levels of Regulated Substances in Electrotechnical Products).
 (1) 用感應耦合電漿原子發射光譜儀檢測鎘含量. / Determination of Cadmium by ICP-AES.
 (2) 用感應耦合電漿原子發射光譜儀檢測鉛含量. / Determination of Lead by ICP-AES.
 (3) 用感應耦合電漿原子發射光譜儀檢測汞含量. / Determination of Mercury by ICP-AES.
 (4) 針對金屬材質之樣品，用Spot test / boiling water extraction方法檢測六價鉻含量. / Determination of Hexavalent Chromium for metallic samples by Spot test / boiling water extraction Method.

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

結論(Conclusion) : 根據客戶所提供的樣品，其鎘、鉛、汞及六價鉻的測試結果符合RoHS(2002/95/EC)及其修定指令之要求 (Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury and Hexavalent Chromium Cr(VI) are **compliant with** the limits of RoHS Directive 2002/95/EC and its subsequent amendments).

Nicole Chien
Nicole Chien / Supervisor
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

測試報告

Test Report

號碼(No.): CE/2008/B4080

日期(Date): 2008/11/25

頁數(Page): 2 of 3

美台磁材有限公司

A&T MAGNETICS CO., LTD.

221-08 台北縣汐止市康寧街169巷23號8樓之1

8F-1, NO. 23, LANE 169, KANG NING ST., SIJHIH CITY, TAIPEI COUNTRY,

TAIWAN, R. O. C.



測試結果(Test Results) 單位(Unit): mg/kg

測試項目 (Test Items)	測試方法 Method (Refer to)	結果 (Result)	方法偵測 極限值 (MDL)	RoHS 限值 (Limit)
		No.1		
鎘 / Cadmium (Cd)	(1)	n.d.	2	100
鉛 / Lead (Pb)	(2)	26	2	1000
汞 / Mercury (Hg)	(3)	n.d.	2	1000
六價鉻 / Hexavalent Chromium Cr(VI) by Spot test / boiling water extraction	(4)	Negative	See Note 4	#

測試部位描述 (TEST PART DESCRIPTION):

NO.1 : 鐵灰色金屬 (IRON-GRAY METAL)

備註(Note):

1. mg/kg = ppm; 0.1wt% = 1000ppm
2. n.d. = Not Detected (未檢出)
3. MDL = Method Detection Limit (方法偵測極限值)
4. Spot-test:

Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),
Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);
The tested sample should be further verified by boiling-water-extraction method if the
spot test result cannot be confirmed.

(當該測項無法確認時, 測試樣品可藉由boiling-water-extraction測試方法進一步確認)

Boiling-water-extraction:

Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),
Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);
the detected concentration in boiling-water-extraction solution is equal or
greater than 0.02 mg/kg with 50 cm² sample surface area.
該溶液濃度 ≥ 0.02 mg/kg with 50 cm² (sample surface area)

5. # = Positive indicates the presence of Cr(VI) on the tested areas and result be regarded
as not comply with RoHS requirement. (Positive表示測試區域之六價鉻不符合RoHS要求)
Negative indicates the absence of Cr(VI) on the tested areas and result be regarded
as comply with RoHS requirement. (Negative表示測試區域之六價鉻符合RoHS要求)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.
除非另有說明, 此報告結果僅對測試之樣品負責。本報告未經本公司書面許可, 不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

測試報告 Test Report

號碼(No.): CE/2008/B4080

日期(Date): 2008/11/25


頁數(Page): 3 of 3

美台磁材有限公司

A&T MAGNETICS CO., LTD.

221-08 台北縣汐止市康寧街169巷23號8樓之1

8F-1, NO. 23, LANE 169, KANG NING ST., SIJHIH CITY, TAIPEI COUNTRY,
TAIWAN, R. O. C.



** 報告結尾(End of Report) **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

測試報告 Test Report

號碼(No.): CE/2008/93006 日期(Date): 2008/09/18 頁數(Page): 1 of 3

美台磁材有限公司

A&T MAGNETICS CO., LTD.

台北縣汐止市康寧街169巷23號8樓之1

8F-1, NO. 23, LANE 169, KANG NING ST., SIJHIH CITY, TAIPEI COUNTRY,

TAIWAN, R. O. C.



以下測試樣品係由客戶送樣，且由客戶聲稱並經客戶確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) : SOFT FERRITE CORE
 樣品型號(Style/Item No.) : T1
 買主/訂單號碼(Buyer/Order No.) : SGS-015
 收件日期(Sample Receiving Date) : 2008/09/11
 測試期間(Testing Period) : 2008/09/11 TO 2008/09/18

=====
 測試需求(Test Requested) : 參照 RoHS 2002/95/EC 及其修定指令要求. (In accordance with the RoHS Directive 2002/95/EC, and its amendment directives).

測試方法(Test Method) : 參考IEC 62321/2nd CDV (111/95/CDV)方法檢測. (With reference to IEC 62321/2nd CDV (111/95/CDV). Procedures for the Determination of Levels of Regulated Substances in Electrotechnical Products).

- (1) 用感應耦合電漿原子發射光譜儀檢測鎘含量. / Determination of Cadmium by ICP-AES.
- (2) 用感應耦合電漿原子發射光譜儀檢測鉛含量. / Determination of Lead by ICP-AES.
- (3) 用感應耦合電漿原子發射光譜儀檢測汞含量. / Determination of Mercury by ICP-AES.
- (4) 針對金屬材質之樣品，用Spot test / boiling water extraction方法檢測六價鉻含量. / Determination of Hexavalent Chromium for metallic samples by Spot test / boiling water extraction Method.

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

結論(Conclusion) : 根據客戶所提供的樣品，其鎘、鉛、汞及六價鉻的測試結果符合RoHS(2002/95/EC)及其修定指令之要求 (Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury and Hexavalent Chromium Cr(VI) are **compliant with** the limits of RoHS Directive 2002/95/EC and its subsequent amendments).

Nicole Chien / Supervisor
 Signed for and on behalf of
 SGS TAIWAN LTD.
 Chemical Laboratory - Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

測試報告 Test Report

號碼(No.): CE/2008/93006

日期(Date): 2008/09/18

頁數(Page): 2 of 3

美台磁材有限公司

A&T MAGNETICS CO., LTD.

台北縣汐止市康寧街169巷23號8樓之1

8F-1, NO. 23, LANE 169, KANG NING ST., SIJHIH CITY, TAIPEI COUNTRY,

TAIWAN, R. O. C.



測試結果(Test Results) 單位(Unit): mg/kg

測試項目 (Test Items)	測試方法 Method (Refer to)	結果 (Result)	方法偵測 極限值 (MDL)	RoHS 限值 (Limit)
		No.1		
鎘 / Cadmium (Cd)	(1)	n.d.	2	100
鉛 / Lead (Pb)	(2)	11	2	1000
汞 / Mercury (Hg)	(3)	n.d.	2	1000
六價鉻 / Hexavalent Chromium Cr(VI) by Spot test / boiling water extraction	(4)	Negative	See Note 4	#

測試部位描述 (TEST PART DESCRIPTION):

NO.1 : 鐵灰色金屬 (IRON-GRAY METAL)

備註(Note):

1. mg/kg = ppm
2. n.d. = Not Detected (未檢出)
3. MDL = Method Detection Limit (方法偵測極限值)
4. Spot-test:

Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),

Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);

The tested sample should be further verified by boiling-water-extraction method if the spot test result cannot be confirmed.

(當該測項無法確認時, 測試樣品可藉由boiling-water-extraction測試方法進一步確認)

Boiling-water-extraction:

Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),

Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);

the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

該溶液濃度 \geq 0.02 mg/kg with 50 cm² (sample surface area)

5. # = Positive indicates the presence of Cr(VI) on the tested areas and result be regarded as not comply with RoHS requirement. (Positive表示測試區域之六價鉻不符合RoHS要求)
Negative indicates the absence of Cr(VI) on the tested areas and result be regarded as comply with RoHS requirement. (Negative表示測試區域之六價鉻符合RoHS要求)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明, 此報告結果僅對測試之樣品負責。本報告未經本公司書面許可, 不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

測試報告 Test Report

號碼(No.): CE/2008/93006

日期(Date): 2008/09/18

頁數(Page): 3 of 3

美台磁材有限公司

A&T MAGNETICS CO., LTD.

台北縣汐止市康寧街169巷23號8樓之1

8F-1, NO. 23, LANE 169, KANG NING ST., SIJHIH CITY, TAIPEI COUNTRY,
TAIWAN, R. O. C.



** 報告結尾 **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

測試報告 Test Report

號碼(No.): CE/2007/74582

日期(Date): 2007/07/25

頁數(Page): 1 of 3

美台磁材有限公司

A & T MAGNETICS CO., LTD.

台北縣汐止市康寧街169巷23號8樓之1

8F-1, NO. 23, LANE 169, KANG NING ST., XI ZHI CITY, TAIPEI COUNTRY,


TAIWAN, R. O. C.



以下測試樣品係由客戶送樣，且由客戶聲稱並經客戶確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) : SOFT FERRITE POWDER
 樣品型號(Style/Item No.) : A015/PERM15
 買主 / 訂單號碼(Buyer/Order No.) : SGS-007
 其他(Other Info.) : VALID DATE
 收件日期(Sample Receiving Date) : 2007/07/18
 測試期間(Testing Period) : 2007/07/18 TO 2007/07/25

=====
測試需求(Test Requested) : 參照 RoHS 2002/95/EC 及其修定指令要求. (In accordance with the RoHS Directive 2002/95/EC, and its amendment directives).
測試方法(Test Method) : 參考 IEC 62321, Ed. 1 111/54/CDV 方法檢測. (With reference to IEC 62321, Ed.1 111/54/CDV. Procedures for the Determination of Levels of Regulated Substances in Electrotechnical Products).
 (1) 用感應耦合電漿原子發射光譜儀檢測鎘含量. / Determination of Cadmium by ICP-AES.
 (2) 用感應耦合電漿原子發射光譜儀檢測鉛含量. / Determination of Lead by ICP-AES.
 (3) 用感應耦合電漿原子發射光譜儀檢測汞含量. / Determination of Mercury by ICP-AES.
 (4) 針對金屬材質之樣品，用 Spot test / Colorimetric 方法檢測六價鉻含量. / Determination of Hexavalent Chromium for metallic samples by Spot test / Colorimetric Method.
測試結果(Test Results) : 請見下一頁 (Please refer to next pages).
結論(Conclusion) : 根據客戶所提供樣品的測試結果，符合 RoHS(2002/95/EC) 及其修定指令之要求 (Based on the performed tests on submitted samples, the test results are **compliant with** the limits of RoHS Directive 2002/95/EC and its subsequent amendments).


 Daniel Yeh, M.R. / Operation Manager
 Signed for and on behalf of
 SGS TAIWAN LTD.
 Chemical Laboratory - Taipei

測試報告 Test Report

號碼(No.): CE/2007/74582

日期(Date): 2007/07/25

頁數(Page): 2 of 3

美台磁材有限公司

A & T MAGNETICS CO., LTD.

台北縣汐止市康寧街169巷23號8樓之1

8F-1, NO. 23, LANE 169, KANG NING ST., XI ZHI CITY, TAIPEI COUNTRY,
TAIWAN, R. O. C.



測試結果(Test Results) 單位(Unit): mg/kg

測試項目 (Test Items)	測試方法 Method (Refer to)	結果 (Result)	方法偵測 極限值 (MDL)	RoHS 限值 (Limit)
		No.1		
鎘 / Cadmium (Cd)	(1)	n.d.	2	100
鉛 / Lead (Pb)	(2)	n.d.	2	1000
汞 / Mercury (Hg)	(3)	n.d.	2	1000
六價鉻 / Hexavalent Chromium Cr(VI) by Spot test / boiling water extraction	(4)	Negative	See Note 4	#

測試部位描述 (TEST PART DESCRIPTION):

NO.1 : 深灰色金屬 (DK. GRAY METAL)

備註(Note):

1. mg/kg = ppm
 2. n.d. = Not Detected (未檢出)
 3. MDL = Method Detection Limit (方法偵測極限值)
 4. Spot-test:
 - Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),
 - Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);
 - The tested sample should be further verified by boiling-water-extraction method if the spot test result cannot be confirmed.
 - (當該測項無法確認時, 測試樣品可藉由boiling-water-extraction測試方法進一步確認)
- Boiling-water-extraction:
- Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),
 - Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);
 - the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.
 - 該濃度溶液 ≥ 0.02 mg/kg with 50 cm² (sample surface area)
5. # = Positive indicates the presence of Cr(VI) on the tested areas and result be regarded as not comply with RoHS requirement. (Positive表示測試區域之六價鉻不符合RoHS要求)
 - Negative indicates the absence of Cr(VI) on the tested areas and result be regarded as comply with RoHS requirement. (Negative表示測試區域之六價鉻符合RoHS要求)

測試報告 Test Report

號碼(No.): CE/2007/74582

日期(Date): 2007/07/25

頁數(Page): 3 of 3

美台磁材有限公司

A & T MAGNETICS CO., LTD.

台北縣汐止市康寧街169巷23號8樓之1

8F-1, NO. 23, LANE 169, KANG NING ST., XI ZHI CITY, TAIPEI COUNTRY,
TAIWAN, R. O. C.



** 報告結尾 **

測試報告 Test Report

號碼(No.): CE/2007/A1673

日期(Date): 2007/10/16

頁數(Page): 1 of 4

美台磁材有限公司

A&T MAGNETICS CO., LTD.

台北縣汐止市康寧街169巷23號8樓之1

8F-1, NO. 23, LANE 169, KANG NING ST., XI ZHI CITY, TAIPEI COUNTRY,


TAIWAN, R. O. C.



以下測試樣品係由客戶送樣，且由客戶聲稱並經客戶確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) : EPOXY
樣品型號(Style/Item No.) : BLUE
買主/訂單號碼(Buyer/Order No.) : SGS-008
收件日期(Sample Receiving Date) : 2007/10/08
測試期間(Testing Period) : 2007/10/08 TO 2007/10/16

=====
測試需求(Test Requested) : 參照 RoHS 2002/95/EC 及其修定指令要求. (In accordance with the RoHS Directive 2002/95/EC, and its amendment directives).
測試方法(Test Method) : 參考IEC 62321, Ed. 1 111/54/CDV方法檢測. (With reference to IEC 62321, Ed.1 111/54/CDV. Procedures for the Determination of Levels of Regulated Substances in Electrotechnical Products).
(1) 用感應耦合電漿原子發射光譜儀檢測鎘含量. / Determination of Cadmium by ICP-AES.
(2) 用感應耦合電漿原子發射光譜儀檢測鉛含量. / Determination of Lead by ICP-AES.
(3) 用感應耦合電漿原子發射光譜儀檢測汞含量. / Determination of Mercury by ICP-AES.
(4) 針對非金屬材質之樣品，用UV-VIS檢測六價鉻含量. / Determination of Hexavalent Chromium for non-metallic samples by UV/Vis Spectrometry.
(5) 以氣相層析儀/質譜儀檢測多溴聯苯和多溴聯苯醚含量. / Determination of PBB and PBDE by GC/MS.
測試結果(Test Results) : 請見下一頁 (Please refer to next pages).


Chenyu Kung / Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory – Taipei

測試報告

Test Report

號碼(No.): CE/2007/A1673

日期(Date): 2007/10/16

頁數(Page): 2 of 4

美台磁材有限公司

A&T MAGNETICS CO., LTD.

台北縣汐止市康寧街169巷23號8樓之1

8F-1, NO. 23, LANE 169, KANG NING ST., XI ZHI CITY, TAIPEI COUNTRY,
TAIWAN, R. O. C.



測試結果(Test Results) 單位(Unit): mg/kg

測試項目 (Test Items)	測試方法 Method (Refer to)	結果 (Result)	方法偵測 極限值 (MDL)
		No.1	
鎘 / Cadmium (Cd)	(1)	n.d.	2
鉛 / Lead (Pb)	(2)	n.d.	2
汞 / Mercury (Hg)	(3)	n.d.	2
六價鉻 / Hexavalent Chromium Cr(VI) by alkaline extraction	(4)	n.d.	2
多溴聯苯總和 / Sum of PBBs	(5)	n.d.	-
一溴聯苯 / Monobromobiphenyl		n.d.	5
二溴聯苯 / Dibromobiphenyl		n.d.	5
三溴聯苯 / Tribromobiphenyl		n.d.	5
四溴聯苯 / Tetrabromobiphenyl		n.d.	5
五溴聯苯 / Pentabromobiphenyl		n.d.	5
六溴聯苯 / Hexabromobiphenyl		n.d.	5
七溴聯苯 / Heptabromobiphenyl		n.d.	5
八溴聯苯 / Octabromobiphenyl		n.d.	5
九溴聯苯 / Nonabromobiphenyl		n.d.	5
十溴聯苯 / Decabromobiphenyl		n.d.	5
多溴聯苯醚總和 (一至九溴) / Sum of PBDEs (Mono to Nona) (Note 4)		n.d.	-
一溴聯苯醚 / Monobromobiphenyl ether		n.d.	5
二溴聯苯醚 / Dibromobiphenyl ether		n.d.	5
三溴聯苯醚 / Tribromobiphenyl ether		n.d.	5
四溴聯苯醚 / Tetrabromobiphenyl ether		n.d.	5
五溴聯苯醚 / Pentabromobiphenyl ether		n.d.	5
六溴聯苯醚 / Hexabromobiphenyl ether		n.d.	5
七溴聯苯醚 / Heptabromobiphenyl ether		n.d.	5
八溴聯苯醚 / Octabromobiphenyl ether		n.d.	5
九溴聯苯醚 / Nonabromobiphenyl ether	n.d.	5	
十溴聯苯醚 / Decabromobiphenyl ether	n.d.	5	
多溴聯苯醚總和 (一至十溴) / Sum of PBDEs (Mono to Deca)	n.d.	-	

測試報告 Test Report

號碼(No.): CE/2007/A1673

日期(Date): 2007/10/16

頁數(Page): 3 of 4

美台磁材有限公司

A&T MAGNETICS CO., LTD.

台北縣汐止市康寧街169巷23號8樓之1

8F-1, NO. 23, LANE 169, KANG NING ST., XI ZHI CITY, TAIPEI COUNTRY,
TAIWAN, R. O. C.



測試部位描述 (TEST PART DESCRIPTION):

NO.1 : 藍色膏狀 (BLUE PASTE)

備註(Note):

1. mg/kg = ppm
2. n.d. = Not Detected (未檢出)
3. MDL = Method Detection Limit (方法偵測極限值)
4. 根據2005年10月13日歐盟會議公佈2005/717/EC, 修訂2002/95/EC內容, 通過解除高分子材質中十溴聯苯醚之使用限制. (According to 2005/717/EC DecaBDE is exempt.)
5. "-" = Not Regulated (無規格值)

測試報告 Test Report

號碼(No.): CE/2007/A1673

日期(Date): 2007/10/16

頁數(Page): 4 of 4

美台磁材有限公司

A&T MAGNETICS CO., LTD.

台北縣汐止市康寧街169巷23號8樓之1

8F-1, NO. 23, LANE 169, KANG NING ST., XI ZHI CITY, TAIPEI COUNTRY,
TAIWAN, R. O. C.



** 報告結尾 **